

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 10/31/2017

Version: 1.2

#### **SECTION 1: IDENTIFICATION**

<u>Product Identifier</u> <u>Product Form:</u> Mixture

Product Name: CAT Degreaser (AFCO 5273)

Product Code: AFCO 5273
Intended Use of the Product

Use of the Substance/Mixture: Moderate foaming, alkaline inhibited general purpose/degreaser, for use on food processing

equipment in dairies, bakeries, and in meat and poultry processing plants. For professional use only.

## Name, Address, and Telephone of the Responsible Party

Company

Alex C. Fergusson, LLC. 800 Development Avenue Chambersburg, PA 17201

T: 800-345-1329 www.afcocare.com

**Emergency Telephone Number** 

Emergency Number : 1-800-424-9300 (CHEMTREC)

#### **SECTION 2: HAZARDS IDENTIFICATION**

## **Classification of the Substance or Mixture**

Classification (GHS-US) Skin Corr. 1C H314 Eye Dam. 1 H318

Label Elements
GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) : Danger.

Hazard Statements (GHS-US) : H314 - Causes severe skin burns and eye damage.

H318 - Causes serious eye damage.

**Precautionary Statements (GHS-US)**: P260 - Do not breathe vapors, mist, spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position

comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P321 - Specific treatment (see section 4).

P363 - Wash contaminated clothing before reuse.

P405 - Store locked up.

P501 - Dispose of contents/container according to local, regional, national, territorial,

provincial, and international regulations.

## **Other Hazards**

Other Hazards Not Contributing to the Classification: N/A.

Other Hazards: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition,

10/31/2017 EN (English US) 1/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

emits toxic fumes.

Unknown Acute Toxicity (GHS-US) Not available.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### **Substances**

Name	Product identifier	% (w/w)	Classification (GHS-US)
Water	(CAS No) 7732-18-5	80-90	Not classified
Sodium metasilicate	(CAS No) 6834-92-0	1-5	Met. Corr. 1, H290
			Acute Tox. 4 (Oral), H302
			Skin Corr. 1B, H314
			Eye Dam. 1, H318
			STOT SE 3, H335
Tetrasodium EDTA	(CAS No) 64-02-8	1-5	Acute Tox. 4 (Oral), H302
			Acute Tox. 4 (Inhalation:dust,mist), H332
			Eye Dam. 1, H318
			Aquatic Acute 2, H401
Ethoxylated alcohol, quaternary amine	(CAS No) Proprietary	1-5	Eye Irrit. 2A H319
compound			Aquatic Acute 3, H402
Tetrapotassium Pyrophosphate	(CAS No) 7320-34-5	0.1 – 1.0	Eye Irrit. 2A, H319

Full text of H-phrases: see section 16.

## **SECTION 4: FIRST AID MEASURES**

#### **Description of First Aid Measures**

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention.

**Skin Contact:** Immediately flush skin with plenty of water for at least 60 minutes. Get immediate medical advice/attention. Wash contaminated clothing before reuse.

**Eye Contact:** Seek medical attention immediately. Rinse cautiously with water for at least 60 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

#### Most Important Symptoms and Effects Both Acute and Delayed

**General:** Causes serious eye damage. Corrosive to eyes and skin. **Inhalation:** None under normal and intended conditions of use.

**Skin Contact:** Causes severe skin burns. **Eye Contact:** Causes serious eye damage.

Ingestion: Ingestion is likely to be harmful or have adverse effects. Contact may cause immediate severe irritation progressing

quickly to chemical burns.

Chronic Symptoms: Not available.

#### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

## **SECTION 5: FIRE-FIGHTING MEASURES**

#### **Extinguishing Media**

Suitable Extinguishing Media: Water spray, fog, carbon dioxide, foam, dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

#### **Special Hazards Arising From the Substance or Mixture**

Fire Hazard: Not flammable.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Thermal decomposition generates: Corrosive vapors. When heated to decomposition, emits toxic fumes. Corrosive to metals.

#### **Advice for Firefighters**

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

10/31/2017 EN (English US) 2/8

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO<sub>2</sub>). Toxic fumes are released. Phosphorus oxides, nitrogen oxides, sodium oxides

Other information: Do not allow run-off from fire fighting to enter drains or water courses.

#### **Reference to Other Sections**

Refer to section 9 for flammability properties.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Do not allow product to spread into the environment. Do NOT breathe (vapors, mist, spray). Do not get in eyes, on skin, or on clothing.

#### For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### **For Emergency Personnel**

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** None. **Environmental Precautions** 

Prevent entry to sewers and public waters. Avoid release to the environment.

#### Methods and Material for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Cautiously neutralize spilled liquid.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely. Cautiously neutralize spilled liquid. Contact competent authorities after a spill.

#### **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection.

## **SECTION 7: HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

Additional Hazards When Processed: When heated to decomposition, emits toxic fumes. Corrosive vapors are released.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do no eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

#### **Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high or low temperatures, incompatible materials.

**Incompatible Materials:** Strong acids. Strong oxidizers.

Special Rules on Packaging: Keep only in original container.

<u>Specific End Use(s)</u>: Moderate foaming, alkaline inhibited general purpose/degreaser, for use on food processing equipment in dairies, bakeries, and in meat and poultry processing plants. For professional use only.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control Parameters**

Tetrapotassium Pyrophosphate (7320-34-5)		
USA ACGIH	ACGIH TLV (mg/m³)	10 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³

#### **Exposure Controls**

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed. If user operations generate dust, fumes, vapors, gas, or spray use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or regulatory limits.

10/31/2017 EN (English US) 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal Protective Equipment: Protective goggles. Protective clothing. Gloves. Face shield.









Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or face shield.

**Skin and Body Protection:** Wear suitable protective clothing.

Respiratory Protection: A respirator is not needed under normal and intended conditions of use.

Other Information: When using, do not eat, drink or smoke.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### **Information on Basic Physical and Chemical Properties**

Physical State : Liquid

**Appearance** : Clear, pale-yellow liquid

Odor Characteristic
Odor Threshold : Not available

pH : >13.0

Relative Evaporation Rate (butylacetate=1): Not availableMelting Point: Not availableFreezing Point: Not availableBoiling Point: 105°C (221°F)

Flash Point : None

Auto-ignition Temperature : Not available
Decomposition Temperature : Not available
Flammability (solid, gas) : Not flammable
Lower Flammable Limit : Not available
Upper Flammable Limit : Not available
Vapor Pressure : Not available
Relative Vapor Density at 20°C : Not available

SSpecific Gravity : 1.03
Solubility : Complete
Partition coefficient: n-octanol/water : Not available
Viscosity : Not available

Explosion Data – Sensitivity to Mechanical Impact : Not expected to present an explosion hazard due to mechanical impact Explosion Data – Sensitivity to Static Discharge : Not expected to present an explosion hazard due to static discharge

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity: Thermal decomposition generates: Carbon oxides (CO, CO<sub>2</sub>). Phosphorus oxides, nitrogen oxides, sodium oxides.

Chemical Stability: Stable under normal conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur. **Conditions to Avoid:** Extremely high or low temperatures. Incompatible materials.

Incompatible Materials: Strong acids. Strong oxidizers.

Hazardous Decomposition Products: Carbon oxides (CO, CO<sub>2</sub>). Toxic fumes are released. Phosphorus oxides, nitrogen oxides, sodium

oxides.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### <u>Information on Toxicological Effects - Product</u>

Acute Toxicity: Not classified. LD50 and LC50 Data: Not available.

Skin Corrosion/Irritation: Causes severe skin burns. pH: >13.0

10/31/2017 EN (English US) 4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious Eye Damage/Irritation: Causes serious eye damage. pH: >13.0

Respiratory or Skin Sensitization: Not classified.

Germ Cell Mutagenicity: Not classified.

**Teratogenicity:** Not available. **Carcinogenicity:** Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not classified.

Symptoms/Injuries After Inhalation: None under normal and intended conditions of use.

**Symptoms/Injuries After Skin Contact:** Causes severe skin burns. **Symptoms/Injuries After Eye Contact:** Causes serious eye damage.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects. Contact may cause immediate severe

irritation progressing quickly to chemical burns.

## Information on Toxicological Effects - Ingredient(s)

#### LD50 and LC50 Data:

1250 and 1650 2ata.		
Water (7732-18-5)		
LD50 Oral Rat	>90000 mg/kg	
Tetrasodium EDTA (64-02-8)		
LD50 Oral Rat	1780 mg/kg	
ATE US (dust, mist)	1.50 mg/l/4h	
Tetrapotassium Pyrophosphate (7320-34-5)		
LC50 Inhalation Rat	>1.1 mg/L	
LD50 Dermal Rabbit	>2000 mg/kg body weight	
LD50 Ingestion	>2000 mg/kg body weight	
Sodium metasilicate (6834-92-0)		
LD50 Oral Rat	1153 mg/kg	

## **SECTION 12: ECOLOGICAL INFORMATION**

#### Toxicity Not classified.

TOXICILY NOT Classifica.		
Tetrasodium EDTA (64-02-8)		
LC50 Fish 1	41 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
LC50 Fish 2	59.8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
ErC50 (algae)	2.77 mg/l (72 h - Species: Desmodesmus subspicatus)	
Sodium metasilicate (6834-92-0)		
LC50 Fish 1	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])	
LC50 Fish 2	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)	
Tetrapotassium pyrophosphate (7320-34-5)		
LC50 Fish 1	>100 mg/l (Exposure time: 96 h - Species: Rainbow Trout)	
EC50 Daphnia 1	>100 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
EC50	>100mg/L (Exposure time: 72 h – Species: Aquatic Plants)	
NOEC	>100mg/L (Exposure time: 72h – Species: Aquatic plants)	
Ethoxyylated alcohols, quaternary amine compound (proprietary)		
LC50 Fish 1	24 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
ErC50 (Algae)	3.9 mg/l (Exposure time: 96 h)	
ErC50 (Algae)	0.5 mg/l (72 h)	

## Persistence and Degradability Not available.

#### **Bioaccumulative Potential**

CAT Degreaser (AFCO 5273)	
Bioaccumulative Potential	Not established.
Tetrasodium EDTA (64-02-8)	
Log Pow	5.01 (calculated)

10/31/2017 EN (English US) 5/8

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **Mobility in Soil** Not available.

#### **Other Adverse Effects**

Other Information: Avoid release to the environment.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

#### **SECTION 14: TRANSPORT INFORMATION**

#### 14.1 In Accordance with DOT

Proper Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Disodium trioxosilicate pentahydrate)

Hazard Class : 8

Identification Number : UN3266

Label Codes: 8Packing Group: IIIERG Number: 154

#### 14.2 In Accordance with IMDG

Proper Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Disodium trioxosilicate pentahydrate)

Hazard Class : 8

Identification Number: UN3266Packing Group: IIILabel Codes: 8EmS-No. (Fire): F-AEmS-No. (Spillage): S-B



#### 14.3 In Accordance with IATA

Proper Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Disodium trioxosilicate pentahydrate)

Packing Group : III

**Identification Number** : UN3266

Hazard Class : 8 Label Codes : 8 ERG Code (IATA) : 8L

14.4 In Accordance with TDG

Proper Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Disodium trioxosilicate pentahydrate)

Packing Group : III
Hazard Class : 8

**Identification Number** : UN3266

Label Codes : 8



## **SECTION 15: REGULATORY INFORMATION**

#### **US Federal Regulations**

CAT Degreaser (AFCO 5273)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard.

#### Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

#### Sodium metasilicate (6834-92-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

#### Tetrasodium EDTA (64-02-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

#### Tetrapotassium pyrophosphates (7320-34-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

## Ethoxylated alcohol, quaternary amine compound (Proprietary)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

10/31/2017 EN (English US) 6/8

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **US State Regulations**

## Sodium metasilicate (6834-92-0)

U.S. - Texas - Effects Screening Levels - Long Term.

U.S. - Texas - Effects Screening Levels - Short Term.

#### Tetrasodium EDTA (64-02-8)

U.S. - Texas - Effects Screening Levels - Long Term.

U.S. - Texas - Effects Screening Levels - Short Term.

## **Canadian Regulations**

#### Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

### Tetrapotassium pyrophosphate (7320-34-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Sodium metasilicate (6834-92-0)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Tetrasodium EDTA (64-02-8)

Listed on the Canadian DSL (Domestic Substances List) inventory.

## Ethoxylated alcohol, quaternary amine compound (Proprietary)

Listed on the Canadian DSL (Domestic Substances List) inventory.

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision date** : 10/31/2017

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

#### **GHS Full Text Phrases:**

Acute Tox. 4 (Inhalation: vapour)	Acute toxicity (inhalation: vapour) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Met. Corr. 1	Corrosive to metals Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H290	May be corrosive to metals
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H401	Toxic to aquatic life
H402	Harmful to aquatic life

NFPA Health Hazard : 3 - Short exposure could cause serious temporary or


residual injury even though prompt medical attention was

given.

NFPA Fire Hazard : 0 - Materials that will not burn.

NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



10/31/2017 EN (English US) 7/8

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **HMIS III Rating**

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given.

Flammability : 0 - Minimal Hazard.

Physical : 0 - Minimal Hazard.

## Party Responsible for the Preparation of This Document

Alex C. Fergusson, LLC. 800 Development Avenue Chambersburg, PA 17201

T: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (U.S., Can., Mex.)

10/31/2017 EN (English US) 8/8