

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date:07/11/2022

Version: 1.2

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

Product Identifier
Product Form: Mixture
Product Name: True View NA
Product Code: AFCO 5437
Intended Use of the Product

Use of the Substance/Mixture: RTU glass cleaner. For professional use only.

Name, Address, and Telephone of the Responsible Party

Company AFCO

800 Development Avenue Chambersburg, PA 17201

T: 800-345-1329 www.afcocare.com

**Emergency Telephone Number** 

Emergency Number : 1-800-424-9300 (CHEMTREC)

### **SECTION 2: HAZARDS IDENTIFICATION**

### **Classification of the Substance or Mixture**

Classification (GHS-US)

Skin Irrit. 3 H316 Eye Irrit. 2A H319

Label Elements
GHS-US Labeling

Hazard Pictograms (GHS-US) :



Signal Word (GHS-US) : Warning

Hazard Statements (GHS-US) : H316 - Causes mild skin irritation

H319 - Causes serious eye irritation

**Precautionary Statements (GHS-US)**: P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.

### **Other Hazards**

**Other Hazards Not Contributing to the Classification**: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes.

**Unknown Acute Toxicity (GHS-US)** Not available.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **Substances**

### **Mixture**

Name	Product identifier	% (w/w)	Classification (GHS-US)	
Water	(CAS No) 7732-18-5	90-100	Not classified	
Isopropyl alcohol	(CAS No) 67-63-0	5 - 10	Flam. Liq. 2, H225	
			Eye Irrit. 2A, H319	
			STOT SE 3, H336	

07/11/2022 EN (English US) 1/9

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1-Methoxy-2-propanol	(CAS No.) 107-98-2	1-5	Flam. Liq. 3, H226 Repr. 1B, H360 STOT SE 3, H336
D-Glucopyranose, oligomeric, decyl octyl glycosides	(CAS No) 68515-73-1	0.1-1	Eye Dam. 1, H318
Ethanolamine	(CAS No) 141-43-5	0.1-1	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation: vapour), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 2, H401 Aquatic Chronic 3, H412

Full text of H-phrases: see section 16.

### **SECTION 4: FIRST AID MEASURES**

### **Description of First Aid Measures**

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

### Most Important Symptoms and Effects Both Acute and Delayed

General: Causes skin and eye damage. Effects of exposure (ingestion or skin or eye contact) to substance may be delayed.

Inhalation: None under normal and intended conditions of use.

**Skin Contact:** Contact may cause mild irritation. **Eye Contact:** Causes serious eye irritation.

**Ingestion:** Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: Not available.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

### **SECTION 5: FIREFIGHTING MEASURES**

### **Extinguishing Media**

Suitable Extinguishing Media: Water spray, fog, carbon dioxide, foam, dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

**Explosion Hazard:** Product is not explosive.

Reactivity: Thermal decomposition generates: Toxic gas.

### **Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides.

Other information: Do not allow run-off from fire fighting to enter drains or water courses.

07/11/2022 EN (English US) 2/9

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **Reference to Other Sections**

Refer to section 9 for flammability properties.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

General Measures: Avoid all contact with skin, eyes, or clothing.

For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

**For Emergency Personnel** 

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

#### **Environmental Precautions**

Prevent entry to sewers and public waters. Avoid release to the environment.

### Methods and Material for Containment and Cleaning Up

**For Containment:** Absorb and/or contain spill with inert material, then place in suitable container. Cautiously neutralize spilled liquid.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material, then place in suitable container. Cautiously neutralize spilled liquid. Do not take up in combustible material such as: saw dust or cellulosic material.

### **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection.

### **SECTION 7: HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

Additional Hazards When Processed: None.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do no eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling. Wash contaminated clothing before reuse.

### **Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from extremely high temperatures, incompatible materials.

Incompatible Materials: Strong oxidizers.

**Specific End Use(s)**: RTU glass cleaner. For professional use only.

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control Parameters**

Isopropyl alcohol (67-63-0)		
Mexico	OEL TWA (mg/m³)	980 mg/m³
Mexico	OEL TWA (ppm)	400 ppm
Mexico	OEL STEL (mg/m³)	1225 mg/m³
Mexico	OEL STEL (ppm)	500 ppm
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	400 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	980 mg/m³
USA NIOSH	NIOSH REL (TWA) (ppm)	400 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m³)	1225 mg/m³
USA NIOSH	NIOSH REL (STEL) (ppm)	500 ppm
USA IDLH	US IDLH (ppm)	2000 ppm (10% LEL)
Ontario	OEL STEL (ppm)	400 ppm

07/11/2022 EN (English US) 3/9

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ontario	OEL TWA (ppm)	200 ppm
Québec	VECD (mg/m³)	1230 mg/m <sup>3</sup>
Québec	VECD (ppm)	500 ppm
Québec	VEMP (mg/m³)	985 mg/m³
Québec	VEMP (ppm)	400 ppm
Ethanolamine (141-43-5)		
Mexico	OEL TWA (mg/m³)	8 mg/m³
Mexico	OEL TWA (ppm)	3 ppm
Mexico	OEL STEL (mg/m³)	15 mg/m³
Mexico	OEL STEL (ppm)	6 ppm
USA ACGIH	ACGIH TWA (ppm)	3 ppm
USA ACGIH	ACGIH STEL (ppm)	6 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m³
USA OSHA	OSHA PEL (TWA) (ppm)	3 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	8 mg/m³
USA NIOSH	NIOSH REL (TWA) (ppm)	3 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m³)	15 mg/m³
USA NIOSH	NIOSH REL (STEL) (ppm)	6 ppm
USA IDLH	US IDLH (ppm)	30 ppm
Ontario	OEL STEL (ppm)	6 ppm
Ontario	OEL TWA (ppm)	3 ppm
Québec	VECD (mg/m³)	15 mg/m³
Québec	VECD (ppm)	6 ppm
Québec	VEMP (mg/m³)	7.5 mg/m <sup>3</sup>
Québec	VEMP (ppm)	3 ppm
1-Methoxy-2-propanol (107-98-2)		
USA ACGIH	ACGIH TWA (ppm)	50 ppm
USA ACGIH	ACGIH STEL (ppm)	100 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	360 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (ST) (ppm)	150 ppm
Evnosuro Controls		

### **Exposure Controls**

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal Protective Equipment: Protective goggles. Face shield Gloves.







Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

**Eye Protection:** Chemical goggles or face shield.

Skin and Body Protection: Wear suitable protective clothing.

**Respiratory Protection:** None usually needed.

**Other Information:** When using, do not eat, drink or smoke.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### **Information on Basic Physical and Chemical Properties**

Physical State: LiquidAppearance: Clear, blueOdor: Mild

07/11/2022 EN (English US) 4/9

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor Threshold : Not available

pH : 11.0

Relative Evaporation Rate (butylacetate=1): Not availableMelting Point: Not availableFreezing Point: Not availableBoiling Point: 103°C (217°F)

Flash Point : None
Auto-ignition Temperature : None

Decomposition Temperature: Not availableFlammability (solid, gas): Not flammableLower Flammable Limit: Not availableUpper Flammable Limit: Not availableVapor Pressure: Not availableRelative Vapor Density at 20°C: Not available

**Specific Gravity** 0.99 Solubility Complete **Log Pow** Not available Log Kow Not available Not available Viscosity, Kinematic Viscosity, Dynamic Not available Explosion Data – Sensitivity to Mechanical Impact : Not available Explosion Data - Sensitivity to Static Discharge Not available

### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** Thermal decomposition generates: Toxic gas.

Chemical Stability: Stable at standard temperature and pressure.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur. **Conditions to Avoid:** Extremely high temperatures. Incompatible materials.

Incompatible Materials: Strong oxidizers.

Hazardous Decomposition Products: Carbon oxides (CO, CO<sub>2</sub>).

### **SECTION 11: TOXICOLOGICAL INFORMATION**

### Information on Toxicological Effects - Product

Acute Toxicity: Not classified.

LD50 and LC50 Data: Not available.

Skin Corrosion/Irritation: Causes mild skin irritation. (pH: 11.0)

Serious Eye Damage/Irritation: Causes serious eye irritation. (pH: 11.0)

Respiratory or Skin Sensitization: Not classified.

Germ Cell Mutagenicity: Not classified.

**Teratogenicity:** Not available. **Carcinogenicity:** Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not classified.

**Symptoms/Injuries After Inhalation:** None under normal and intended conditions of use.

**Symptoms/Injuries After Skin Contact:** Contact may cause mild irritation. **Symptoms/Injuries After Eye Contact:** Causes serious eye irritation.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Information on Toxicological Effects - Ingredient(s)

07/11/2022 EN (English US) 5/9

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### LD50 and LC50 Data:

ED30 dila EC30 Data.	
Water (7732-18-5)	
LD50 Oral Rat	>90000 mg/kg
Ethanolamine (141-43-5)	
LD50 Oral Rat	1720 mg/kg
LD50 Dermal Rabbit	1 ml/kg
1-Methoxy-2-propanol (107-98-2)	
LD50 Oral Rat	4016 mg/kg
LD50 Dermal Rabbit	>2000mg/kg
Isopropyl alcohol (67-63-0)	
LD50 Oral Rat	4396 mg/kg
LD50 Dermal Rabbit	12800 mg/kg
LC50 Inhalation Rat (ppm)	16000 ppm (Exposure time: 8 h)
IARC Group	3

## **SECTION 12: ECOLOGICAL INFORMATION**

### **Toxicity**

Ecology - General: Harmful to aquatic life

Isopropyl alcohol (67-63-0)	
LC50 Fish 1	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 1	1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)
LC50 Fish 2	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Other Aquatic Organisms 2	1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
1-Methoxy-2-propanol (107-98-2)	
LC50 Fish 1	6812 mg/l (Exposure time: 96 h – Species: Leuciscus idus [static])
EC50 Daphnia 1	21100-25900 mg/l (Exposure time: 48 h – Species: Daphnia magna)
LC50 Fish 2	≥1000 mg/l (Exposure time: 96 h – Species:Oncorhynchus mykiss [semi-static])
Ethanolamine (141-43-5)	
LC50 Fish 1	227 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	65 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 1	15 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
LC50 Fish 2	3684 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])

### **Persistence and Degradability**

True View NA (AFCO 5437)	
Persistence and Degradability	Not established.

### **Bioaccumulative Potential**

True View NA (AFCO 5437)	
Bioaccumulative Potential	Not established.
Isopropyl alcohol (67-63-0)	
Log Pow	0.05 (at 25°C)
Ethanolamine (141-43-5)	
Log Pow	-1.91 (at 25°C)

### **Mobility in Soil** Not available.

### **Other Adverse Effects**

Other Information: Avoid release to the environment.

07/11/2022 EN (English US) 6/9

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

### **SECTION 14: TRANSPORT INFORMATION**

14.1 In Accordance with DOT:Not regulated for transport.14.2 In Accordance with IMDG:Not regulated for transport.14.3 In Accordance with IATA:Not regulated for transport.14.4 In Accordance with TDG:Not regulated for transport.

### **SECTION 15: REGULATORY INFORMATION**

### **US Federal Regulations**

Isopropyl alcohol (67-63-0)

True View NA (AFCO 5437)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard.
	Delayed (chronic) health hazard.
Water (7722-19-5)	

Water (7732-10-3)	
Listed on the United	States TSCA (Toxic Substances Control Act) inventory

Listed on the United States TSCA (Toxic Substances Control Act	) inventory.
Listed on SARA Section 313 (Specific toxic chemical listings).	

EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test
	rule under TSCA.
SARA Section 313 - Emission Reporting	1.0% (only if manufactured by the strong acid process, no supplier
	notification)

### D-Glucopyranose, oligomeric, decyl octyl glycosides (68515-73-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

### 1-Methoxy-2-propanol (107-98-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

### Ethanolamine (141-43-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory.

### **US State Regulations**

#### Isopropyl alcohol (67-63-0)

- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New York Occupational Exposure Limits TWAs
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Texas City of Austin Aerosol Paint and Glue Restrictions
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Ethanolamine (141-43-5)

- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New York Occupational Exposure Limits TWAs
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour

07/11/2022 EN (English US) 7/9

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

### D-Glucopyranose, oligomeric, decyl octyl glycosides (68515-73-1)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### 1-Methoxy-2-propanol (107-98-2)

- U.S. Massachusetts RTK (Right to Know) List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### **Canadian Regulations**

#### Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Isopropyl alcohol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List) inventory.

### Ethanolamine (141-43-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

### D-Glucopyranose, oligomeric, decyl octyl glycosides (68515-73-1)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### 1-Methoxy-2-propanol (107-98-2)

Listed on the Canadian DSL (Domestic Substances List) inventory.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.

### **SECTION 16: OTHER INFORMATION**

**Revision date** : 07/11/2022

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

#### **GHS Full Text Phrases:**

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Acute Tox. 4 (Inhalation: vapour)	Acute toxicity (inhalation: vapour) Category 4
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Repr. 1B	Reproductive toxicity Category 1B
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 3	Skin corrosion/irritation Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H227	Combustible liquid

07/11/2022 EN (English US) 8/9

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H316	Causes mild skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H360	May damage fertility or the unborn child
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects


NFPA Health Hazard : 1 - Exposure could cause irritation but only minor residual

injury even if no treatment is given.

NFPA Fire Hazard : 0 - Materials that will not burn.

NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



### **HMIS III Rating**

**Health** : 1 Slight Hazard - Irritation or minor reversible injury possible.

**Flammability** : 0 - Minimal Hazard. **Physical** : 0 - Minimal Hazard.

### Party Responsible for the Preparation of This Document

**AFCO** 

800 Development Avenue Chambersburg, PA 17201

T: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex.)

07/11/2022 EN (English US) 9/9