according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 08/22/2023

Version: 1.2

# **SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY**

Product Identifier
Product Form: Mixture
Product Name: Damp Mop
Product Code: AFCO 7742
Intended Use of the Product

Use of the Substance/Mixture: No rinse floor cleaner. For professional use only.

Name, Address, and Telephone of the Responsible Party

**Company** AFCO

800 Development Avenue Chambersburg, PA 17201

T: 800-345-1329 www.afcocare.com

**Emergency Telephone Number** 

Emergency Number : 1-800-424-9300 (CHEMTREC)

## **SECTION 2: HAZARDS IDENTIFICATION**

# **Classification of the Substance or Mixture**

Classification (GHS-US) Eye Dam. 1 H318 Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) : Warning

Hazard Statements (GHS-US) : H318 - Causes serious eye damage

**Precautionary Statements (GHS-US)**: P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P501 - Dispose of contents/container to local, regional, national, territorial, provincial, and

international regulations.

#### Other Hazards

**Other Hazards Not Contributing to the Classification**: Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes.

Unknown Acute Toxicity (GHS-US) Not available.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## **Substances**

#### **Mixture**

TVII/CUIT C			
Name	Product identifier	% (w/w)	Classification (GHS-US)
Water	(CAS No) 7732-18-5	90-100	Not classified
Isopropyl alcohol	(CAS No) 67-63-0	1-5	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319
			STOT SE 3, H336
Alcohols, C9-11, ethoxylated	(CAS No) 68439-46-3	1-5	Acute Tox. 4 (Oral), H302
			Eye Dam. 1, H318

Full text of H-phrases: see section 16.

08/22/2023 EN (English US) 1/7

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 4: FIRST AID MEASURES**

## **Description of First Aid Measures**

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for several minutes. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/physician.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

## Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye damage.

**Inhalation:** Inhalation may cause slight irritation. **Skin Contact:** Contact may cause slight irritation.

**Eye Contact:** Causes serious eye damage.

**Ingestion:** Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: Not available.

## Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

# **SECTION 5: FIREFIGHTING MEASURES**

# **Extinguishing Media**

Suitable Extinguishing Media: Water spray, fog, carbon dioxide, foam, dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

## **Special Hazards Arising From the Substance or Mixture**

Fire Hazard: Not flammable.

**Explosion Hazard:** Product is not explosive.

Reactivity: Thermal decomposition generates: Carbon oxides.

# **Advice for Firefighter**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO<sub>2</sub>).

**Other information:** Do not allow run-off from fire fighting to enter drains or water courses.

**Reference to Other Sections** 

Refer to section 9 for flammability properties.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing.

For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

**For Emergency Personnel** 

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

## **Environmental Precautions**

Prevent entry to sewers and public waters. Avoid release to the environment.

## Methods and Material for Containment and Cleaning Up

For Containment: Absorb and/or contain spill with inert material, then place in suitable container.

08/22/2023 EN (English US) 2/7

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material, then place in suitable container. Do not take up in combustible material such as: saw dust or cellulosic material.

#### **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection.

# **SECTION 7: HANDLING AND STORAGE**

## **Precautions for Safe Handling**

Additional Hazards When Processed: None.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do no eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling. Wash contaminated clothing before reuse.

## **Conditions for Safe Storage, Including Any Incompatibilities**

**Technical Measures:** Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep/Store away from

extremely high temperatures, incompatible materials.

**Incompatible Materials:** Strong oxidizers.

**Specific End Use(s)**: No rinse floor cleaner. For professional use only.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

OEL TWA (mg/m³)	980 mg/m³
OEL TWA (ppm)	400 ppm
OEL STEL (mg/m³)	1225 mg/m <sup>3</sup>
OEL STEL (ppm)	500 ppm
ACGIH TWA (ppm)	200 ppm
ACGIH STEL (ppm)	400 ppm
OSHA PEL (TWA) (mg/m³)	980 mg/m³
OSHA PEL (TWA) (ppm)	400 ppm
NIOSH REL (TWA) (mg/m³)	980 mg/m³
NIOSH REL (TWA) (ppm)	400 ppm
NIOSH REL (STEL) (mg/m³)	1225 mg/m³
NIOSH REL (STEL) (ppm)	500 ppm
US IDLH (ppm)	2000 ppm (10% LEL)
OEL STEL (ppm)	400 ppm
OEL TWA (ppm)	200 ppm
VECD (mg/m³)	1230 mg/m³
VECD (ppm)	500 ppm
VEMP (mg/m³)	985 mg/m³
VEMP (ppm)	400 ppm
	OEL TWA (ppm) OEL STEL (mg/m³) OEL STEL (ppm) ACGIH TWA (ppm) ACGIH STEL (ppm) OSHA PEL (TWA) (mg/m³) OSHA PEL (TWA) (ppm) NIOSH REL (TWA) (ppm) NIOSH REL (STEL) (mg/m³) NIOSH REL (STEL) (mg/m³) OEL STEL (ppm) US IDLH (ppm) OEL STEL (ppm) OEL TWA (ppm) VECD (mg/m³) VECD (ppm) VEMP (mg/m³)

## **Exposure Controls**

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal Protective Equipment: Protective goggles. Gloves.





Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Safety goggles.

Skin and Body Protection: None usually needed.

08/22/2023 EN (English US) 3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Respiratory Protection:** None usually needed.

Other Information: When using, do not eat, drink or smoke.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### **Information on Basic Physical and Chemical Properties**

Physical State: LiquidAppearance: Clear, yellowOdor: LemonOdor Threshold: Not available

pH : 7

Relative Evaporation Rate (butylacetate=1): Not availableMelting Point: Not availableFreezing Point: Not availableBoiling Point: 103°C (217°F)

Flash Point : None
Auto-ignition Temperature : None

Decomposition Temperature: Not availableFlammability (solid, gas): Not flammableLower Flammable Limit: Not availableUpper Flammable Limit: Not availableVapor Pressure: Not availableRelative Vapor Density at 20°C: Not available

**Specific Gravity** 0.98 Solubility Complete Log Pow Not available Log Kow Not available Not available Viscosity, Kinematic Not available Viscosity, Dynamic Explosion Data – Sensitivity to Mechanical Impact : Not available Explosion Data - Sensitivity to Static Discharge Not available

## **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** Thermal decomposition generates: Carbon oxides. **Chemical Stability:** Stable at standard temperature and pressure.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur. **Conditions to Avoid:** Extremely high temperatures. Incompatible materials.

**Incompatible Materials:** Strong oxidizers.

Hazardous Decomposition Products: Carbon oxides (CO, Co<sub>2</sub>). Nitrogen Oxides (NO<sub>x</sub>).

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## <u>Information on Toxicological Effects - Product</u>

Acute Toxicity: Not classified.

LD50 and LC50 Data: Not available.

Skin Corrosion/Irritation: Not classified. pH: 7

Serious Eye Damage/Irritation: Causes serious eye damage. pH: 7

Respiratory or Skin Sensitization: Not classified.

Germ Cell Mutagenicity: Not classified.

**Teratogenicity:** Not available. **Carcinogenicity:** Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

08/22/2023 EN (English US) 4/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not classified.

Symptoms/Injuries After Inhalation: Not classified.

Symptoms/Injuries After Skin Contact: Not classified.

Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Water (7732-18-5)		
LD50 Oral Rat	>90000mg/kg	
Alcohols, C9-11, ethoxylated (68439-46-3)		
LD50 Oral Rat	1400 mg/kg	
Isopropyl alcohol (67-63-0)		
LD50 Oral Rat	4396 mg/kg	
LD50 Dermal Rabbit	12800 mg/kg	
LC50 Inhalation Rat (ppm)	16000 ppm (Exposure time: 8 h)	
IARC Group	3	

# **SECTION 12: ECOLOGICAL INFORMATION**

## **Toxicity**

Ecology - General: Not available.

Isopropyl alcohol (67-63-0)	
LC50 Fish 1	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Other Aquatic Organisms 1	1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)
LC50 Fish 2	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Other Aquatic Organisms 2	1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)

# **Persistence and Degradability**

Damp Mop (AFCO 7742)	
Persistence and Degradability	Not established.

# **Bioaccumulative Potential**

Damp Mop (AFCO 7742)	
Bioaccumulative Potential	Not established.
Isopropyl alcohol (67-63-0)	
Log Pow	0.05 (at 25°C)

# **Mobility in Soil** Not available.

# **Other Adverse Effects**

Other Information: Not established.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

08/22/2023 EN (English US) 5/7

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 14: TRANSPORT INFORMATION**

14.1 In Accordance with DOT:Not regulated for transport.14.2 In Accordance with IMDG:Not regulated for transport.14.3 In Accordance with IATA:Not regulated for transport.14.4 In Accordance with TDG:Not regulated for transport.

## **SECTION 15: REGULATORY INFORMATION**

# **US Federal Regulations**

oo i caci ai itogaiationo	
Damp Mop (AFCO 7742)	
SARA Section 311/312 Hazard Classes	N/A.
Water (7732-18-5)	
Listed on the United States TSCA (Toxic Substances C	ontrol Act) inventory.
Isopropyl alcohol (67-63-0)	
Listed on the United States TSCA (Toxic Substances C	ontrol Act) inventory.
Listed on SARA Section 313 (Specific toxic chemical list	stings).
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test
	rule under TSCA.
SARA Section 313 - Emission Reporting	1.0% (only if manufactured by the strong acid process, no supplier
	notification)
Alcohols, C9-11, ethoxylated (68439-46-3)	
Listed on the United States TSCA (Toxic Substances C	ontrol Act) inventory

# **US State Regulations**

## Isopropyl alcohol (67-63-0)

- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New York Occupational Exposure Limits TWAs
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Texas City of Austin Aerosol Paint and Glue Restrictions
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

#### Alcohols, C9-11, ethoxylated (68439-46-3)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

## **Canadian Regulations**

## Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

#### Isopropyl alcohol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List) inventory.

## Alcohols, C9-11, ethoxylated (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List) inventory.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

08/22/2023 EN (English US) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 16: OTHER INFORMATION**

**Revision date** : 08/22/2023

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

**GHS Full Text Phrases:** 

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 3	Skin corrosion/irritation Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H302	Harmful if swallowed
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness


NFPA Health Hazard : 1 - Exposure could cause irritation but only minor residual

injury even if no treatment is given.

NFPA Fire Hazard : 0 - Materials that will not burn.

NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



**HMIS III Rating** 

**Health** : 1 Slight Hazard - Irritation or minor reversible injury possible.

**Flammability** : 0 - Minimal Hazard. **Physical** : 0 - Minimal Hazard.

#### Party Responsible for the Preparation of This Document

**AFCO** 

800 Development Avenue Chambersburg, PA 17201

T: 800-345-1329

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS SDS 2015 (U.S., Can., Mex.)

08/22/2023 EN (English US) 7/7